

How to Make Conservation Projects Affordable: Building the Business Case

Joint BOMA BC and BC Hydro Workshop
March 18, 2010

Presented by Robert Greenwald, PEng., MBA
President
Prism Engineering Ltd.

Speaking the Language of the CFO



Briefing February 2005

Why Energy Efficiency?

“The business case for EE is a strong one. The surprise is that more firms are not adopting EE. Why not?”

One obstacle appears to be the way in which the case for EE is being communicated. Engineers and operations managers need to better motivate their executive team.

They must speak in the language of the Chief Financial Officer (CFO) and Chief Executive Officer (CEO), citing not just the costs, but the savings, the low financial risk, the decreased waste and the social benefits.”



“Often energy efficiency investment decisions are based on simple financial metrics, such as simple payback, cost relative to budget or the building's pro forma. These analysis methods may be valuable, but they are not broad enough to provide sufficient information for the best decision making... Conversely, when return on investment, risk and time value of money are considered, often energy efficiency upgrades are shown to be very prudent.”

- <http://www.fmlink.com/ProfResources/Magazines/article.cgi?BOMA:boma061308.html>

A Perspectives on Savings



- How much will turning the lighting off for one hour in a 10,000 square foot office save?
 - a) \$ 0.43
 - b) \$ 109
 - c) \$ 1,094
 - d) \$ 43,750
 - e) \$ 283,586
- All are correct!!! It depends on your perspective
 - a) One Office: $10,000 \text{ sf} \times 1.25 \text{ watts/sf} \times 1 \text{ hour} = 12.5 \text{ kWh} \times \$0.035 = \$0.43/\text{hr}$
 - b) One Office: $\$0.43 \times 250 \text{ days} = \$109/\text{yr}$
 - c) One Building: $10 \text{ floors} \times \$109 = \$1094/\text{yr}$
 - d) One PM Firm: $40 \text{ buildings} \times \$1094 = \$43,750$
 - e) One Firm, 10 years, 6% discount rate, 2% electrical rate increase per year = \$283,586
- Have not factored in any maintenance benefits as yet!

Business Case Approvals

Decision Points

- Pass Operational Review
- Pass Strategic Review
- Pass Financial Review

All leading to...

- The Capital Competition

Typical Questions – Operational

- Is there local support for the technology?
- Is the technology proven?
- What training is required?
- Do we have the internal expertise required?
- What impact will the project have on staffing?
- The are the environmental and safety implications

Typical Questions – Strategic



- How does this project fit with our mission?
- How disruptive will the project be to our operations?
- What is the impact of delaying for 1 year?
- What other options have been considered?
- How does this fit with our current priorities?

Typical Questions – Financial

- Are there hidden or additional costs?
- What are the benefits? Energy Savings?
- How realistic are the costs and savings projections?
- What financial impact will this have on other areas of our organization?
- How do you propose to finance the project?
- How quickly will we see benefits?

Financial Hurdles



Briefing February 2005

Why Energy Efficiency?

“Aside from the easy “low-hanging fruit” many EE projects produce payback periods that are slightly longer than most financial officers prefer.

This simple investment criterion takes capital investment proposals off the executive agenda before they even appear.

However, the *risks of EE investments*, which are lower or non-existent compared to alternative investments, are neither well-quantified nor well-communicated to business leaders.”

The Financial Analysis in a Business Case


- Capital Required
- Cost Savings
- Simple payback
- Net Present Value (NPV)
- Internal rate of return (IRR)
- Sensitivity Analysis
- Impact on O&M (positive or negative)
- GHG credits
- Assumptions

Objectives of Investment Appraisal

- Which investments make the best use of available money?
- Ensure optimum benefits from investment
- Minimize the risk
- A basis for subsequent performance analysis

Why not use Simple Payback?

Simple Payback...too simple?



Which project would you prefer?

What's Wrong with Simple Payback?

- Doesn't take into account
 - Ongoing savings after the payback period
 - The time value of money
- But, it's a useful preliminary indication of the merits of a project

The Time Value of Money

Time Value of Money

The time value of money needs to be considered as a dollar received *now is worth more* than same dollar received *in the future*.

Time Value of Money - Discount Factors

Discount Factors $1/(1 + i)^n$						
Year (n)	0	1	2	3	4	5
Discount Factor						
6%	1	0.942	0.888	0.840	0.792	0.747
10%	1	0.909	0.826	0.751	0.683	0.620
20%	1	0.833	0.694	0.579	0.482	0.402
30%	1	0.769	0.591	0.456	0.350	0.270
40%	1	0.714	0.510	0.364	0.260	0.186
45%	1	0.690	0.476	0.328	0.226	0.156
50%	1	0.666	0.444	0.297	0.198	0.132

Time Value of Money

Example of Discounting



- What if we want to determine how much a \$1,000 benefit in 30 years is worth to us today?
 - \$1000 in “real” dollars (i.e., in dollars with today’s purchasing power)
 - Discount rate is 3%

Economic Analysis

Example (continued)



- Present Value or PV tells us how much a future amount is worth today
- Plug values into discounting formula:

$$PV = \left(\frac{1}{(1 + .03)^{30}} \right) \$1,000_{\text{year } 30}$$

- Do calculation:

$$PV = \$1,000 \times 0.41199 = \$412$$

Discount Rate Is Important

- Higher the discount rate, the lower the present value of a future dollar
- At 3%, \$1,000 30 years from now is worth only \$412 today
 - ...it is worth \$231 at 5%
 - ...but only \$57 at 10%
- Discount rate can influence project selection

\$10,000 Savings in the Future... How Much in my Pocket Today?




Year	Savings	2%	4%	6%	8%
1	\$ 10,000.00	\$ 9,803.92	\$ 9,611.69	\$ 9,423.22	\$ 9,238.45
2	\$ 10,000.00	\$ 9,611.69	\$ 9,238.45	\$ 8,879.71	\$ 8,534.90
3	\$ 10,000.00	\$ 9,423.22	\$ 8,879.71	\$ 8,367.55	\$ 7,884.93
4	\$ 10,000.00	\$ 9,238.45	\$ 8,534.90	\$ 7,884.93	\$ 7,284.46
5	\$ 10,000.00	\$ 9,057.31	\$ 8,203.48	\$ 7,430.15	\$ 6,729.71
6	\$ 10,000.00	\$ 8,879.71	\$ 7,884.93	\$ 7,001.59	\$ 6,217.21
7	\$ 10,000.00	\$ 8,705.60	\$ 7,578.75	\$ 6,597.76	\$ 5,743.75
8	\$ 10,000.00	\$ 8,534.90	\$ 7,284.46	\$ 6,217.21	\$ 5,306.33
9	\$ 10,000.00	\$ 8,367.55	\$ 7,001.59	\$ 5,858.62	\$ 4,902.23
10	\$ 10,000.00	\$ 8,203.48	\$ 6,729.71	\$ 5,520.71	\$ 4,528.90
11	\$ 10,000.00	\$ 8,042.63	\$ 6,468.39	\$ 5,202.29	\$ 4,184.01
12	\$ 10,000.00	\$ 7,884.93	\$ 6,217.21	\$ 4,902.23	\$ 3,865.38
13	\$ 10,000.00	\$ 7,730.33	\$ 5,975.79	\$ 4,619.48	\$ 3,571.01
14	\$ 10,000.00	\$ 7,578.75	\$ 5,743.75	\$ 4,353.04	\$ 3,299.06
15	\$ 10,000.00	\$ 7,430.15	\$ 5,520.71	\$ 4,101.97	\$ 3,047.82
16	\$ 10,000.00	\$ 7,284.46	\$ 5,306.33	\$ 3,865.38	\$ 2,815.72
17	\$ 10,000.00	\$ 7,141.63	\$ 5,100.28	\$ 3,642.43	\$ 2,601.29
18	\$ 10,000.00	\$ 7,001.59	\$ 4,902.23	\$ 3,432.34	\$ 2,403.19
19	\$ 10,000.00	\$ 6,864.31	\$ 4,711.87	\$ 3,234.37	\$ 2,220.17
20	\$ 10,000.00	\$ 6,729.71	\$ 4,528.90	\$ 3,047.82	\$ 2,051.10

How to Calculate NPV and IRR

- Determining the VALUE of a project

The Net Present Value (NPV) Approach

- Basic and essential test method to evaluate projects among other available financial tests
- Considers financial impacts not revealed with the pay-back method
- Considers all relevant elements of projects - all variation of revenues, savings, and costs



Cumulative cash flow shown

Components Required to Calculate NPV

For well-defined design and technology alternatives:

- Total investment costs for each alternative including:
 - Initial investment costs
 - Major equipment residual market value
- All variations of revenues realized as a result of the investment
- All variations of expenses (savings or cost increases)
 - Replacement costs and major maintenance costs
 - OM&R costs including energy, regular and preventive scheduled maintenance
 - Income Taxes (when applicable)

What Costs to Include

- Design, development, and engineering
- Initial capital investment and financing
- Operation, maintenance, and functional use
- Replacement
- Alteration, refurbishing, and improvement
- Salvage and retirement

Financial Criteria Details

- **Discount Rate**

Use the owner's after tax weighted average cost of capital; it is specific to the organization and is computed as the average of all current short and long term financing sources

- **Inflation or Escalation Rate**

Use cash flows in current dollars (increased by the inflation rate) and apply various inflation rates (could be different for maintenance, fuel, power...)


- **Time Frame**

Assessed alternatives on the same time frame

- **Risk**

Risk is generated by uncertainty. Use sensitivity analysis to compare alternative assumptions for your forecasts

Calculation Methodology



Computed as:

- Initial Investment
 - + Present value (discounted) of the revenue flows
 - + Present value of all the savings flows
(Energy + Maintenance Costs + OM&R)
 - Present Value of all the increase in costs flows
(Energy + Maintenance Costs + OM&R)
 - + Present Value of Residual Values
- = **Net Present Value**

Cash Flow Example

Cash Flow Table for Purchase of new Boiler

Capital Expenditure	\$100,000	90% on delivery/commissioning, and 10% performance guarantee due at one year				
Expected Savings	\$48,000	Half in first year, full amount in all remaining years				


(Values in \$'000)

Year	0	1	2	3	4	5
Costs	(90.0)	(10.0)	0	0	0	0
Savings	0	24.0	48.0	48.0	48.0	48.0
Net cash flow	(90.0)	14.0	48.0	48.0	48.0	48.0
Cumulative Project Value	(90.0)	(76.0)	(28.0)	20.0	68.0	116.0

Net Present Value


NPV Calculation						
Year	0	1	2	3	4	5
Net cash flow (\$000s)	(90.0)	14.0	48.0	48.0	48.0	48.0
The discounted cash flow at 10% can be found as follows:						
Year 0	1 x (90.0) = (90.0)					
Year 1	0.909 x 14.0 = 12.73					
Year 2	0.826 x 48.0 = 39.65					
Year 3	0.751 x 48.0 = 36.05					
Year 4	0.683 x 48.0 = 32.78					
Year 5	0.620 x 48.0 = 29.76					
NPV = the sum of all these values = 60.97 (vs. cumulative project value = 116.0)						

Cash Flow



**Cash
Flows**

Net Present Value (NPV)



Why NPV?

A capital expenditure can not only be looked at on a one time basis.

One needs to consider all revenues and expenses related to that decision over the life of the equipment.

Internal Rate of Return (IRR)

The project rate of return that makes the present value of all future cash flows equal to the initial investment value of the project.

Also known as “project yield”.

Discount	NPV	IRR
10%	\$61,048.67	30.37%
20%	\$25,216.05	
25%	\$11,885.44	
30%	\$753.50	
31%	-\$1,250.47	
35%	-\$8,627.04	

What is Life Cycle Costing...

- and how is it different from NPV

Basically...

- Pay now or pay later

Life Cycle Costing (LCC) Defined

- The total discounted dollar cost of owning, operating, maintaining, and disposing of a building or a building system (NIST Handbook 135)
- Life Cycle Costing is a process to determine the sum of all the costs associated with an asset or part thereof, including acquisition, installation, operation, maintenance, refurbishment and disposal costs. It is therefore pivotal to the asset management process. (NSW Government)
- Life Cycle Costing (LCC) is a methodology to evaluate the economic performance of investments in building and building systems. www.lifecycle.org

Applications of LCC

- Asset Management
- Facility Management
- Value Engineering
- Sustainable Design/Integrated Design Process

Some LCC Applications for Sustainable Design



- Analyzing active versus passive system tradeoffs: passive cooling/ventilation
- Daylighting systems versus thermal loads
- Application of renewable energy systems
- Ultra low flow water systems

LCC and NPV...the ABCs


- Both look at the COSTs and financial BENEFITS over the life of the product, installation or project
- Both can be used interchangeably
- LCC is typically used for negative NPV projects (what is the COST over the life)
- NPV is typically used for investments where the benefits are greater than the costs
- Better to have
 - High NPV
 - Low LCC

Case Study

Options to be Considered

The financial analysis is primarily a way of discriminating between options. It is a ranking tool.

Options to consider are generally :




Existing Facility Case Study



- Extensive integration of refrigeration system with HVAC
- Short term heat storage
- High efficiency lighting
- Variable condensing temperature and pressure (floating head pressure)
- Reduced charge of synthetic refrigerant



Schematic



- 4 semi-hermetic screw compressors
- 4 tube and shell condensers
- 2 direct expansion tube and shell evaporators
- Indirect evaporative fluid cooler
- HCFC-22 (174 kg combined total for all equipment)
- 120 tons
- Floating head pressure

Legend

- Ethylene glycol
- Water / methanol
- Synthetic refrigerant
- Water
- Expansion valve
- Pump

Cash Flow for a Retrofit Project (in Constant \$)



Existing System: Piston/R-22 Efficiency Option: Monoblok/Screw/R-134a	Existing System		Efficiency Option	
Total Initial Investment	\$93,000		\$550,700	
Energy Costs (annual)	\$135,801		\$111,373	
Operation Costs (annual)	\$5,500		\$2,500	
Maintenance Costs (annual)	1-5	\$8,500	1-5	\$3,000
	6-10	\$11,000	6-10	\$3,600
	11-15	\$14,000	11-15	\$4,200
	16-20	\$18,000	16-20	\$4,800
Major Repair Costs	1	\$45,000	18	\$18,000
	5	\$45,000	19	\$18,000
	10	\$45,000		
Total Residual Value after 20 years	\$52,000		\$263,667	

NPV for a Retrofit Project



Existing System: Piston/R-22 Efficiency Option: Monoblock/Screw/R-134a	Existing System	Efficiency Option
Total Initial Investment	- \$93,000	- \$550,700
Energy (PV)	- \$2,111,466	- \$1,712,010
O & M costs (PV)	- \$347,514	- \$94,515
Major Repair (PV)	- \$116,319	- \$21,060
Total Residual Value (PV)	\$ 14,374	\$90,315
20 Year Net Present Value	- \$2,653,925	- \$2,287,970

Sensitivity Analysis

Risk and Sensitivity Analysis Scenarios

- Pessimistic
 - e.g. much higher interest rates
- Realistic
 - Best guess
- Optimistic
 - e.g. much higher energy costs

Sample Building, Vancouver



Scenarios

- 10, 15, 20 year measure life
- 0%, 2%, 4% utility rate escalation
- 4%, 6%, 8% discount rate

Could also consider

- Carbon tax
- Carbon credits
- Maintenance savings

The Impact of Incentives

Impact of Incentives on the Business Case



- NRCan \$10/GJ (equivalent to \$0.036/kWh)
- Terasen Gas estimated at \$14,500 based on boiler incentive program
- BC Hydro estimated at \$0.10/kWh
(varies with measure and program)

Sample Building, Vancouver



Scenario	Capital Costs	Energy Savings	Simple Payback	NPV (20 years, 6%, 2.5% escalation)	IRR (20 years, 2.5% escalation)
Base Case	\$265,700	\$42,746	6.2	\$331,616	17.5%
With Incentives	\$190,343	\$42,746	4.5	\$406,974	24.5%
Change			-1.7	+\$75,358	+7.0%

Tools and Calculators

Sample Spreadsheet Tools



- NRCan (Energy Savings Toolbox)
- DOE (Energy Star Value Calculator)
- The Building Upgrade Value Calculator (BUVC), developed as part of the BOMA Energy Efficiency Program (BEEP), estimates the financial impact of proposed energy efficiency projects.

Spreadsheet tools




EMO Life Cycle Cash Flow Analysis

Base Financial Case

Costs for Period	1	2	3	4	5	6	7	8	9	10	
Capital Cost	\$50,000										
Maintenance	\$200	\$204	\$208	\$212	\$216	\$221	\$225	\$230	\$234	\$239	
Asset depreciation											
Lease costs											
Taxes											
Insurance											
Labour											
Other											
Sub-total Costs	\$50,200	\$204	\$208	\$212	\$216	\$221	\$225	\$230	\$234	\$239	\$244
Savings for Period											
Electricity	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	\$10,500	
Gas or Fuel	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	\$5,535	
Water											
Maintenance											
Taxes											
Insurance											
Labour											
GHG Factors											
Sub-total Savings	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	\$16,035	
Net Cash Flow	(\$34,165)	\$15,831	\$15,827	\$15,823	\$15,819	\$15,814	\$15,810	\$15,805	\$15,801	\$15,796	\$15,791
Net Project Value	(\$34,165)	(\$18,334)	(\$2,507)	\$13,316	\$29,134	\$44,948	\$60,758	\$76,563	\$92,364	\$108,160	\$123,951
Discount Rate	10.00%										
Discounted Cash Flow	(\$34,165)	\$14,392	\$13,080	\$11,888	\$10,804	\$9,819	\$8,924	\$8,111	\$7,371	\$6,699	\$6,088

Net Present Value (NPV) : \$63,012

Internal Rate of Return (IRR) : 45%



15 copies available today or download from NRCan

An Energy Assessment Tool that Incorporates Financial Analysis

BC Hydro  power smart

- RETScreen® v4
- Download from www.retscreen.net




Training

Online e-Energy Training



Investment Appraisal Objectives



- What are the investment appraisal's objectives?
- Why do I need a business case?
- As an energy efficiency champion, what can I do to make the case for an energy management project?

Assessing Costs and Benefits

Benefits	Costs
<ul style="list-style-type: none">• Direct energy savings• Indirect energy savings• Comfort/productivity increases• Operating and maintenance cost reductions• Environmental impact reduction• O & M savings	<ul style="list-style-type: none">• Direct implementation costs• Direct energy costs• Indirect energy costs• O & M cost increases

Summary

Getting Approval



- We need to make the business case!
- It is not just our sector...this applies to other industries as well (see Health Care next slide)



Tools & Education

[Webinars](#)
[Education & Consulting Services](#)
[Greenhealth Tracker](#)
[Clean Energy Solutions](#)
[Energy Impact Calculator](#)
[Leadership in Green Health Care](#)
[Member Toolkit](#)
[Clinic Member Toolkit](#)
[Business Member Toolkit](#)
[Library Resources](#)
[Practice Greenhealth Forum](#)
[Listserv](#)
[Home](#) > [Tools & Education](#) > [Webinars](#) > [Archive](#) > [Archive](#)

Archive

Greening Operations Series: Making the Business Case for Energy Efficiency to your CFO

Feb 20 2009

Topic

Facility managers can position energy as a controllable cost that, when well managed, can produce significant energy savings. In this presentation, you will hear from Skanda Skandaverl, Director of Facilities Management at Lawrence Memorial Hospital, who has effectively made the business case for energy performance investments by positioning energy as an investment-grade opportunity and by making an effective pitch that speaks in executive terms and aligns with the hospital's core mission – patient health.

Points To Include

Sixty-seven percent of healthcare CEOs list financial challenges as their number one concern and 75% of senior decision-makers believe that energy costs are the least controllable business cost. Meanwhile, U.S. hospitals are the second most energy-intensive commercial space type, making the impact of unstable energy prices and of savings from energy efficiency investments particularly significant.

Hospitals nationwide have been able to demonstrate that energy investments can create healthier hospitals – both for the environment and the bottom line. Facility managers can position energy as a controllable cost that, when well managed, can produce significant energy savings. In this presentation, you will hear from Skanda Skandaverl, Director of Facilities Management at Lawrence Memorial Hospital, who has effectively made the business case for energy performance investments by positioning energy as an investment-grade opportunity and by making an effective pitch that speaks in executive terms and aligns with the hospital's core mission – patient health. During a major

Member Login

Username:

Password:



[Forgot your password?](#)

Not a member? [Join now.](#)

Related Tools & Resources

- [Webinar Archive](#)
- [Webinar Calendar](#)
- [Forgot my Subscriber ID](#)
- [Become a Member](#)

Free Webinars

Getting Started with Practice Greenhealth

presented September 5, 2008

[Recording](#) / [Slides](#)

Making Medicine Mercury-Free

presented September 19, 2008

[Recording](#) / [Slides](#)

Intro to the Revised GGHC Operations Section

presented January 23, 2009

[Recording](#) / [Slides](#)

Beyond the Bottom Line



Briefing February 2005

Why Energy Efficiency?

“Corporations face increased pressure to act in an accountable and socially responsible manner. More and more, a firm’s reputation is becoming a discriminating factor for many investors and customers.

In 2002, sustainable development-based investing in Canada accounted for \$51.4 billion of assets held in mutual funds. In addition to traditional business fundamentals, these funds consider a firm’s environmental management practices, investments in communities, and shareholder advocacy. They screen for positive as well as negative company practices.”

Issues and Concepts

- Costs and benefits can be valued in dollars
- Project life cycle or system life is basis for comparison
- To be compared, dollars in different years must be “discounted” to their present value amounts
- Various inflation factors can be taken into account
- For each year, the difference between benefit and cost is discounted to the present
- The discounted net (benefit-cost) for all years is summed and compared to the initial investment

Summary

- NPV is an essential tool for decision making about energy management strategies
- NPV must not be used in a static fashion, but as an exploratory tool with sensitivity analysis
- Selection of discount rate and inflation factors is the key to a good NPV analysis

Thank You!

Robert Greenwald, P.Eng., MBA
President
Prism Engineering Ltd.

604-205-5500

robert@prismengineering.com

BChydro 
powersmart